

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2025

Version number 103.04 (replaces version 103.02)

Revision: 13.08.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name Ethanol 99% vg. MEK/IPA/BITREX**Other trade names:****Article number:** 1004725700001**CAS Number:**

64-17-5

EC number:

200-578-6

Index number:

603-002-00-5

REACH-Registration number 01-2119457610-43**UFI:** F4XE-J0P7-F00Y-3DFS

1.2 Relevant identified uses of the substance or mixture and uses advised against

For details on the identifiable uses according to EC-regulation No. 1907/2006 see annex of this safety data sheet.

Restrictions on use:

Restrictions on use according to REGULATION (EC) No 1907/2006 ANNEX XVII apply to this product (see section 15).

Application of the substance / the mixture

Solvents

Additive for cosmetic or pharmaceutical preparations

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

STOCKMEIER Chemie GmbH & Co.KG, Am Stadtholz 37, DE - 33609 Bielefeld

Tel.: +49 521 / 30 37-0, ehs-bielefeld@stockmeier.de

STOCKMEIER Fluids GmbH & Co. KG, Sanssouci 12, DE – 58802 Balve

Tel.: +49 2375 917 310, fluids@stockmeier.com

BASSERMANN Minerals GmbH & Co. KG, Rudolf-Diesel-Straße 42, DE – 68169 Mannheim

Tel.: +49 621 15 01 0, verkauf@bassermann.de

STOCKMEIER CHEMIA Sp. z o. o., ul. Obornicka 277, PL - 60-691 Poznań

Tel.: +48 61 666 10 66, zamowienia@stockmeier.pl

STOCKMEIER QUIMICA, S.L.U., Avda. del Baix Llobregat, 3- 5, ES – 08970 Sant Joan Despí (Barcelona)

Tel.: +34 93 506 91 83, tecnico-calidad@stockmeier.es

STOCKMEIER NETHERLANDS B.V., Ridderpoort 5, NL - 2984 BG Ridderkerk

Tel.: +31 180 41 5988, info@stockmeier.nl

WigaChem GmbH - Brown-Boveri-Straße 6/1/22 - AT- 2351 Wiener Neudorf

Tel. 00432236/623-40, office@wigachem.at

KEMTAN AG, Seewenweg 6, CH – 4153 Reinach

Tel.: +41 61 711 20 20, info@kemtan.ch

STOCKMEIER CHEMICALS BELUX SA/NV, Rue de la Station 17, BE – 1300 Limal

Tel.: +32 10 421-320, info@stockmeierchemicalsbelux.com

HDS – Chemie Handels GES.M.B.H., Bauernmarkt 24, AT - 1010 Wien

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2025

Version number 103.04 (replaces version 103.02)

Revision: 13.08.2025

Trade name Ethanol 99% vg. MEK/IPA/BITREX

(Contd. of page 1)

Tel.: +43 15 32 0 999, office@hds-chemie.at

www.stockmeier.com

Informing department:

Product safety department. Tel.: 0049 / 521 / 3037-381

E-mail: ehs-bielefeld@stockmeier.de

1.4 Emergency telephone number:

This is an English-language document designed for the European region. For the emergency number and other country-specific data, please refer to the specific national versions of this safety data sheet.

Counselling Centre for Poisoning, Mainz

Tel. (+49) 61 31 / 19 240.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture**Classification according to Regulation (EC) No 1272/2008**

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS02 GHS07

Signal word Danger**Hazard statements**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

According to the current state of knowledge, no synthetic polymer microparticles > 0.01% are contained.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2025

Version number 103.04 (replaces version 103.02)

Revision: 13.08.2025

Trade name Ethanol 99% vg. MEK/IPA/BITREX

(Contd. of page 2)

Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Substances

CAS No. Designation:

64-17-5 Ethanol

Identification no(s):

EC number: 200-578-6

Index number: 603-002-00-5

Specific concentration limits Eye Irrit. 2; H319: C \geq 50 %

Description: Mixture of the following substances with non-hazardous additions.

SVHC

This preparation does not contain any substances of very high concern (SVHC) in a concentration of \geq 0.1 % according to Regulation (EC) 1907/2006, Article 57.

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

Instantly remove any clothing soiled by the product.

If unconscious, position and transport in stable lateral position.

After inhalation Supply fresh air; consult doctor in case of symptoms.

After skin contact

Remove contaminated clothing immediately. Wash affected areas with plenty of water und soap. If irritation continues, contact a doctor.

After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting.

Information for doctor

Inhalation of vapors may cause pulmonary edema. Dexamethasone therapy.

Cleaning of the stomach should only be carried out with endotracheal intubation. Danger of aspiration.

Renew lipid coating of the skin in order to protect against dermatitis. Symptomatic treatment.

4.2 Most important symptoms and effects, both acute and delayed

Dizziness, double vision and other typical symptoms of alcoholic intoxication. Vomiting, unconsciousness.

Irritation of skin, eyes and airways.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents

Water with a full water jet.

Water.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2025

Version number 103.04 (replaces version 103.02)

Revision: 13.08.2025

Trade name Ethanol 99% vg. MEK/IPA/BITREX

(Contd. of page 3)

5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures. In case of incomplete combustion carbon monoxide can arise. Fumes are heavier than air and distributed over ground. Inflammation is possible from a far distance.

Avoid contact with combustible substances

5.3 Advice for firefighters

Protective equipment: Wear full protective suit with self-contained breathing apparatus.

Additional information

If possible, remove product off fire area (danger of bursting).

Keep people at a distance and stay on the windward side.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Cool endangered containers in the vicinity with a water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Put on protective equipment and keep unprotected persons away.

Extinguish naked flames. Remove flammable sources. No smoking. Avoid sparks. Avoid contact with skin, eyes and clothing. Avoid inhalation of fumes. Air contaminated rooms thoroughly. Protect against electrostatic sparks.

6.2 Environmental precautions:

Prevent material from reaching sewage system, holes and cellars.

Do not allow to enter drainage system, surface or ground water.

In case of release of larger quantities, inform competent authorities.

6.3 Methods and material for containment and cleaning up:

Large spillages: contain and pump into containers

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of contaminated material as waste according to point 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

Danger of explosion

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/extraction at the workplace.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Avoid contact with eyes or skin.

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace. Avoid repeated or long-term skin contact.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities**Storage**

Protect against direct sunlight, other sources of heat and ignition.

Store in cool, dry conditions in well sealed containers.

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2025

Version number 103.04 (replaces version 103.02)

Revision: 13.08.2025

Trade name Ethanol 99% vg. MEK/IPA/BITREX

(Contd. of page 4)

Requirements to be met by storerooms and containers:

Observe laws and regulations on the storage and use of substances hazardous to water.

Unsuitable material for container: aluminium.

Information about storage in one common storage facility:

Store away from oxidising agents.

According to guidelines of the VbF, flammable liquids should not be stored together.

Further information about storage conditions:

Keep container tightly sealed.

Observe regulations / technical rules for the storage of flammable liquids.

Storage class 3 Flammable liquids (TRGS 510, Storage of dangerous substances in portable containers)**7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters**Components with critical values that require monitoring at the workplace:****64-17-5 Ethanol**

AGW (Germany)	Long-term value: 380 mg/m ³ , 200 ppm 4(II);DFG, Y
---------------	--

DNELs**64-17-5 Ethanol**

Oral	DNEL (population)	87 mg/kg bw/day (Long-term, systemic effects)
Dermal	DNEL (worker)	8238 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	380 mg/m ³ (Long-term, systemic effects)
	DNEL (population)	114 mg/m ³ (Long-term, systemic effects)

PNECs**64-17-5 Ethanol**

PNEC water	2,75 mg/l (intermittent releases)
	0,96 mg/l (freshwater)
	0,79 mg/l (marine water)
PNEC sediment	3,6 mg/kg dw (freshwater)
	2,9 mg/kg dw (marine water)
PNEC soil	0,63 mg/kg dw (soil)
PNEC STP	580 mg/l (sewage plant)

Additional information: The lists that were valid during the compilation were used as basis.**8.2 Exposure controls****Appropriate engineering controls**

Room ventilation or extraction. Measures against electrostatic charging.

Individual protection measures, such as personal protective equipment**General protective and hygienic measures**

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2025

Version number 103.04 (replaces version 103.02)

Revision: 13.08.2025

Trade name Ethanol 99% vg. MEK/IPA/BITREX

(Contd. of page 5)

Recommended filter device for short term use: Combination filter A-P2**Hand protection**

Protective gloves (EN 374).

Check the permeability prior to each renewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Material of gloves is recommended for a short-term single use to protect from splashes. For permanent usage contact manufacturer of gloves.

Change protective gloves if you notice signs of wear.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Attention! Due to conditions (stressing, temperature) the practical usage of chemical protective gloves may be much shorter than the permeation time according to EN 374.

Fluorocarbon rubber (Viton) with 0,7 mm coating thickness (recommended: protective index 6, corresponding to > 480 minutes of permeation time according to EN 374).

As protection from splashes gloves made of the following materials are suitable:Chloroprene rubber, CR, recommended thickness of the material: $\geq 0,5$ mm, penetration time: ≥ 30 min.**Eye/face protection** Tightly sealed safety glasses.**Body protection:** Chemical protective clothing (solvent resistant, flame retardant, antistatic)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information**

Physical state	Liquid
Colour:	Colourless
Smell:	Alcohol-like
Odour threshold:	Not determined
Melting point/freezing point:	-114,5 °C
Boiling point or initial boiling point and boiling range	78 °C
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	3,5 Vol %
Upper:	15 Vol %
Flash point:	13 °C
Auto-ignition temperature:	425 °C
Decomposition temperature:	Not determined.
pH	7 (1%) Mixture is non-polar/aprotic.

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2025

Version number 103.04 (replaces version 103.02)

Revision: 13.08.2025

Trade name Ethanol 99% vg. MEK/IPA/BITREX

(Contd. of page 6)

pH-value:	
Viscosity:	
Kinematic viscosity	Not determined
dynamic at 20 °C:	1,2 mPas
Not determined.	
Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	57 hPa (64-17-5 Ethanol)
Vapour pressure at 50 °C:	280 hPa
Density and/or relative density	
Density at 20 °C	0,79 g/cm ³
Relative density	Not determined
Vapour density	Not determined

9.2 Other information**Appearance:****Form:** Fluid**Important information on protection of health and environment, and on safety.****Self-inflammability:** Not determined.**Explosive properties:** Product is not explosive. However, formation of explosive air/steam mixtures is possible.**Molecular weight** 46 g/mol**Evaporation rate** Not determined**Information with regard to physical hazard classes**

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity**10.1 Reactivity** No further relevant information available.

(Contd. on page 8)

EUE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2025

Version number 103.04 (replaces version 103.02)

Revision: 13.08.2025

Trade name Ethanol 99% vg. MEK/IPA/BITREX

(Contd. of page 7)

10.2 Chemical stability**Thermal decomposition / conditions to be avoided:**

Can be distilled without decomposing at normal pressure

10.3 Possibility of hazardous reactions

Reacts with strong oxidizing agents

Formation of explosive steam/air mixture likely.

10.4 Conditions to avoid To avoid: warmth, flames, sparks**10.5 Incompatible materials:**

strong oxidising agents

Strong acids

Aluminium, zinc and other light metals.

10.6 Hazardous decomposition products:

Formation of carbon monoxide and carbon dioxide in case of fire.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values that are relevant for classification:****64-17-5 Ethanol**

Oral	LD50	10470 mg/kg (rat) (OECD 401)
Dermal	LD50	>2000 mg/kg (rabbit) (OECD 402)
Inhalative	LC 50 / 4 h	>50 mg/l (rat) (OECD 403) >20 mg/l (mouse)

Primary irritant effect:**Skin corrosion/irritation** Slight irritant effect on skin and mucous membranes**Serious eye damage/irritation**

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Subacute to chronic toxicity:** Can lead to liver damage**STOT-repeated exposure:****64-17-5 Ethanol**

Oral	NOAEL	1760 mg/kg (rat) (OECD 408, 90 d, target organ: liver)
------	-------	--

Additional toxicological information:

irritant

Hochkonzentrierter Ethanol reizt die Schleimhäute der Augen sowie der Atem- und Verdauungswege. Dämpfe in hohen Konzentrationen können Müdigkeit und Schwindelgefühl verursachen.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR categories according to CLP.

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2025

Version number 103.04 (replaces version 103.02)

Revision: 13.08.2025

Trade name Ethanol 99% vg. MEK/IPA/BITREX

(Contd. of page 8)

11.2 Information on other hazards**Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity**Aquatic toxicity:****64-17-5 Ethanol**

LC 50 / 48 h	8140 mg/l (Leuciscus idus)
EC 50 / 48 h	>10000 mg/l (Daphnia magna)
EC 50 / 72 h	275 mg/l (Chlorella vulgaris) (OECD 201)

12.2 Persistence and degradability**64-17-5 Ethanol**

Biodegradability >70 % /5d (OECD 301 D)

12.3 Bioaccumulative potential No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects**Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):****64-17-5 Ethanol**

EC 50 (static) >100 mg/l (Chlorella pyrenoidosa) (OECD 201)

Additional ecological information:**General notes:**

Do not allow to enter drainage system, surface or ground water
 Water hazard class 1 (Assessment by list): slightly hazardous for water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The note below refers to the product left as it is and not to further processed products. When mixed with other products, other disposal routes may be required; if in doubt, consult the supplier of the product or the local authority.

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. If possible, send to be recycled, otherwise burn or deposit in a certified facility. Contaminated water to separate by separator and dispose off in line with administrative regulations.

Waste disposal key number:

Since 1 January 1999, the waste code numbers have not only been product-related but essentially application-related. The waste code number valid for the application can be taken from the European Waste Catalogue.

Uncleaned packagings: Disposal in accordance with official regulations.

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2025

Version number 103.04 (replaces version 103.02)

Revision: 13.08.2025

Trade name Ethanol 99% vg. MEK/IPA/BITREX

(Contd. of page 9)

Recommendation:

Empty containers completely and send them cleaned for reconditioning or recycling. Dispose of containers only in consultation with local authorities.

Development: After optimal emptying, immediately return to the supplier tightly closed and without cleaning. Make sure that no foreign matter gets into the packaging!

Other containers: Empty completely and clean for reconditioning or reprocessing.

Caution: Leftovers in the containers may cause the risk of explosion.

Uncleaned containers should not be perforated, cut or welded.

SECTION 14: Transport information

14.1 UN number or ID number ADR/RID, IMDG, IATA	UN1170
14.2 UN proper shipping name ADR/RID IMDG IATA	1170 ETHANOL (ETHYL ALCOHOL) ETHANOL (ETHYL ALCOHOL) ETHANOL
14.3 Transport hazard class(es) ADR/RID Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA Class Label	3 Flammable liquids. 3
14.4 Packing group ADR/RID, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Kemler Number: EMS Number:	Warning: Flammable liquids. 33 F-E,S-D
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR/RID Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II

EUE

(Contd. on page 11)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2025

Version number 103.04 (replaces version 103.02)

Revision: 13.08.2025

Trade name Ethanol 99% vg. MEK/IPA/BITREX

(Contd. of page 10)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02 GHS07

Signal word Danger

Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I Substance is not listed.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t

LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning young persons must be observed.

Schwangerschaftsgruppe D

(Contd. on page 12)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2025

Version number 103.04 (replaces version 103.02)

Revision: 13.08.2025

Trade name Ethanol 99% vg. MEK/IPA/BITREX

(Contd. of page 11)

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Application: Only for industrial applications.

UFI market placements:

Germany, Bulgaria, Denmark, DKE, ESE, European Union, Finland, SFS, France, Greece, Ireland, ISE, Croatia, Latvia, FL, Lithuania, LTE, Malta, Netherland, Norway, Germany, Poland, Portugal, Romania, Sweden, Slovakia, Slovenia, Spain, Czechia, Cyprus

Department issuing data specification sheet: See section 1.3: Responding area

Date of previous version: 23.02.2023

Version number of previous version: 103.02

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

LEV: Local Exhaust Ventilation

NOAEL: No Observed Adverse Effect Level

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* **Data compared to the previous version altered.**